according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

365 // Spray Coat

UFI: 9CAF-2YF3-CF99-W964

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Special finishes, Waterproofing agent

1.3. Details of the supplier of the safety data sheet

Company name: ServFaces GmbH
Street: Zeppelinstraße 2-4
Place: D-72488 Sigmaringen
Telephone: +49 7571 6894 0
E-mail: info@servfaces.de

Contact person: Jörg Reents Telephone: +49 7571 6894 0

E-mail: info@servfaces.de Internet: www.servfaces.de

Responsible Department: Giftinformationszentrum Mainz / 24h Deutsch & Englisch

1.4. Emergency telephone +49 6131 / 19240 (24h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Asp. Tox. 1; H304 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics

Signal word: Danger

Pictograms:







Hazard statements

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

according to UK REACH Regulation

	365 // Spray Coat	
Revision date: 08.05.2023	Product code: SF10278	Page 2 of 9

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of waste according to applicable legislation.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
93685-81-5	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated			35 - < 40 %
	297-629-8		01-2119490725-29	
	Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 4; H226 H304 H413 EUH066			
	Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics			35 - < 40 %
	923-037-2		01-2119471991-29	
	Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H304 H411 EUH066			
	Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics			25 - < 30 %
	927-285-2		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			
	Siloxanes und Silicones, {3-[(2-Amino-ethyl)amino]propyl}methyl-, Dimethyl-			1 - < 5 %
	Skin Corr. 1B; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 3 of 9

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Vapours can form explosive mixtures with air.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Ventilate affected area.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke. Do not breathe gas/fumes/vapour/spray.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide

according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 4 of 9

adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No information available.

Further information on storage conditions

Protect from direct sunlight.

Protect against: frost.

Recommended storage temperature 10 - 25 °C

Maximum storage period (time) 18 month(s)

7.3. Specific end use(s)

Special finishes, Waterproofing agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Tested protective gloves must be worn

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point: not determined
Boiling point or initial boiling point and (Solvents) > 158 °C

boiling range:

Flammability: not applicable

according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 5 of 9

(Solvents) 0,5 vol. % Lower explosion limits: Upper explosion limits: (Solvents) 7 vol. % (Solvents) > 61 °C Flash point: Auto-ignition temperature: (Solvents) > 200 °C Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: (Solvents) < 20,5 mm²/s Water solubility: **Immiscible**

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

0,75 g/cm³

Relative vapour density:

not determined

not determined

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Viscosity / dynamic: not determined

Further Information

Odour threshold: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Vapours can form explosive mixtures with air.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2), Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 6 of 9

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-	=	
93685-81-5	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated			
	CO2 formation (% of the theoretical value).	2,88%	3	Manufacturer
	Biodegradable.			
	Oxygen	31,3%	28	Manufacturer
	Biodegradable.			
	Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics			
	Oxygen	31,3%	28	Manufacturer
	Biodegradable.		-	

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

according to UK REACH Regulation

365 // Spray Coat

Product code: SF10278 Revision date: 08.05.2023 Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

UN 3082 14.1. UN number or ID number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2. UN proper shipping name:

(Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



Ш

Classification code: M6

274 335 375 601 **Special Provisions:**

Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 90 Tunnel restriction code:

Inland waterways transport (ADN)

UN 3082 14.1. UN number or ID number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2. UN proper shipping name:

(Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics)

14.3. Transport hazard class(es):

14.4. Packing group: Hazard label:



9

Ш

9

Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L Excepted quantity: F1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2. UN proper shipping name:

(Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics)

14.3. Transport hazard class(es):

14.4. Packing group: Ш Hazard label: 9

according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 8 of 9



Special Provisions: 274, 335, 969

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics)

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

A97 A158 A197

30 kg G

Py64

Passenger LQ: Y96
Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial < 98%

emissions:

Directive 2004/42/EC on VOC in 97,257 % (729,426 g/l)

paints and varnishes:

Information according to Directive E2 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

according to UK REACH Regulation

365 // Spray Coat

Revision date: 08.05.2023 Product code: SF10278 Page 9 of 9

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Flam. Liq: Flammable liquids Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long

H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)