according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pre-Cut

Further trade names

SF10420.1

UFI: 7WJ8-TUYJ-TG9H-97U4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Polishing agent

1.3. Details of the supplier of the safety data sheet

Company name: ServFaces GmbH
Street: Zeppelinstraße 2-4
Place: D-72488 Sigmaringen
Telephone: +49 7571 6894 0
E-mail: info@servfaces.de

Contact person: Jörg Reents Telephone: +49 7571 6894 0

E-mail: info@servfaces.de Internet: www.servfaces.de

Responsible Department: Giftinformationszentrum Mainz / 24h Deutsch & Englisch

1.4. Emergency telephone +49 6131 / 19240 (24h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP] none

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics			10 - < 20 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
8042-47-5	White mineral oil (petroleum)	White mineral oil (petroleum)		
	232-455-8		01-2119487078-27	
	Asp. Tox. 1; H304			_

Full text of H and EUH statements: see section 16.

according to UK REACH Regulation

	Pre-Cut	
Revision date: 07.10.2023	Product code: SF10420	Page 2 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
	918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
		0 = > 9300 mg/l (vapours); inhalation: LC50 = >= 6100 mg/l (dusts or mists); = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			
8042-47-5	232-455-8	White mineral oil (petroleum)	7,5 - < 15 %		
	inhalation: LC5 5000 mg/kg	0 = > 5000 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = >			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms can occur only after several hours.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Pyrolysis products, toxic.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 3 of 10

General advice

Use personal protection equipment. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke. Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

storage temperature: at room temperature

Keep away from heat.

7.3. Specific end use(s)

Polishing agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

Pre-Cut Revision date: 07.10.2023 Product code: SF10420 Page 4 of 10

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1344-28-1	Aluminium oxides, inhalable dust	-	10		TWA (8 h)	WEL
1344-28-1	Aluminium oxides, respirable dust	-	4		TWA (8 h)	WEL
-	Cycloalkanes >= C7	-	800		TWA (8 h)	WEL
-	Dust, inhalable	-	10		TWA (8 h)	WEL
-	Dust, respirable	-	4		TWA (8 h)	WEL
-	Normal and branched chain alkanes >= C7 (it excludes n-heptane)	-	1200		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
1344-28-1	Aluminium oxide			
Worker DNEL	, long-term	inhalation		3 mg/m³
Consumer DN	EL, long-term	oral		6,22 mg/kg bw/day
8042-47-5	White mineral oil (petroleum)			
Consumer DN	EL, long-term	dermal	systemic	92 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	35 mg/m³
Consumer DNEL, long-term		oral	systemic	40 mg/kg bw/day
Worker DNEL, long-term		inhalation	local	160 mg/m³
Worker DNEL, long-term		dermal	systemic	220 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	160 mg/m³
Worker DNEL, long-term		dermal	local	220 mg/person/day

PNEC values

CAS No	Substance		
Environmental compartment Value		Value	
1344-28-1 Aluminium oxide			
Micro-organisms in sewage treatment plants (STP)		20 mg/l	

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. Tightly sealed safety glasses. (EN 166)

Hand protection

Handling larger quantities:

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. @0802.B00823

Skin protection

Wear suitable protective clothing.

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 5 of 10

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Combination filtering device: Type A

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Paste)
Colour: whitish
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable Lower explosion limits: not determined not determined Upper explosion limits: Flash point: > 61 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: 8.2 - 8.9 Viscosity / kinematic: $> 20.5 \text{ mm}^2/\text{s}$

(at 40 °C)

Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,11 g/cm³

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Viscosity / dynamic: 9600 mPa·s

(at 20 °C)

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 6 of 10

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
	Hydrocarbons, C10-C13,	n-alkanes,	isoalkanes, d	cyclics, < 2% aromatics			
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 401	
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402	
	inhalation (4 h) vapour	LC50 mg/l	> 9300	Rat	Manufacturer		
	inhalation (4 h) dust/mist	LC50 mg/l	>= 6100	Rat	Manufacturer		
8042-47-5	White mineral oil (petrole	um)					
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 401	
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer	OECD 402	
	inhalation (4 h) dust/mist	LC50 mg/l	> 5000	Rat	Manufacturer	OECD 403	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Hydrocarbons, C10-C13,	n-alkanes, i	soalkanes, c	yclics, <	2% aromatics		
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
8042-47-5	White mineral oil (petroleum)						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Leuciscus idus (golden orfe)	Manufacturer	OECD 203
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Fish toxicity	NOEC mg/l	> 1000	4 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	
	Algae toxicity	NOEC mg/l	> 100	2 d	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Crustacea toxicity	NOEC mg/l	> 100	2 d	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Acute bacteria toxicity	EC50 mg/l ()	> 1000		Activated sludge		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics					
	OECD 301F	80%	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).					
8042-47-5	White mineral oil (petroleum)					
	OECD 301F	31,3%	28	Manufacturer		
	Not readily biodegradable (according to OECD criteria)					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	5,5 - 7,2

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 8 of 10

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

transport (16A6 TIMATA BOR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 9 of 10

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial

< 20 %

emissions:

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

according to UK REACH Regulation

Pre-Cut

Revision date: 07.10.2023 Product code: SF10420 Page 10 of 10

Abbreviations and acronyms

Asp. Tox: Aspiration hazard

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOFC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)