

Version: 1.01

Date of issue: 31.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

Bad Boys Ceramic Plastic Exterior Dressing

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Preparation for cleaning surfaces

1.3. Details of the supplier of the safety data sheet:

RR CUSTOMS Sp. z o.o.

ul. Ściegiennego 276, 25-116 Kielce

tel.: +48 508 144 377

e-mail: office@rrcustoms.com

1.4. EMERGENCY TELEPHONE NUMBER

+48 508 144 377

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture has been classified as hazardous in accordance with applicable regulations.

Asp. Tox. 1, H304: May be fatal if swallowed and enters airways

STOT SE 3, H336: May cause drowsiness or dizziness.

EUH066: Repeated exposure may cause skin dryness or cracking.

2.2. Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Substances affecting the classification: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard pictograms





Signal word: Danger



Version: 1.01

Date of issue: 31.08.2020

Hazard statements:

H304 May be fatal if swallowed and enters airways

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements:.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P301+P310 IF SWALLOWED: Immediately call a <POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a <POISON CENTER/doctor if you feel unwell.

P331 Do NOT induce vomiting.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to appropriate recycling container in accordance with local regulation.

Statements in accordance with EC regulation 648/2004:

Composition: >30% aliphatic hydrocarbons, dye.

2.3. Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

>60% Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics Danger

CAS: - | WE: 919-857-5 | REACH: 01-2119463258-33-XXXX

Asp. Tox. 1, H304 | Flam. Liq. 3: H226 | STOT SE 3: H336 | EUH066

0,1-1% Dichloromethane

CAS: 75-09-2 | WE: 200-838-9

Carc. 2: H351

Full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.



Version: 1.01

Date of issue: 31.08.2020

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact:, Burns on skin and mucosal tissues

Symptoms/effects after eye contact: Irritation of the eye tissue Symptoms/effects after ingestion: Gastro-intestinal irritation

Symptoms/effects after inhalation: EXPOSURE TO HIGH CONCENTRATIONS: Coughing. Dry/sore throat. Central

nervous system depression. Dizziness. Headache.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for firefighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping

6.2. Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous. If accidental entry into drainage system occurs, inform responsible authorities.



Version: 1.01

Date of issue: 31.08.2020

6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Use no flammable substances.

Fill the absorbed material into lockable containers.

6.4. Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure good ventilation.

Avoid inhalation of the vapours.

If applicable, suction measures at the workstation or on the processing machine necessary. Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate. Use explosion-proof equipment.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not store with flammable or self-igniting materials. Solvent resistant floor

Store in a well ventilated place. Store cool

Protect from direct sunlight and warming.

Observe special storage conditions.

7.3. Specific end use(s)

Specific end use(s): Cleaning Solvent for Printers

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL / PNEC No data available.

8.2. Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.



Version: 1.01

Date of issue: 31.08.2020

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Yellow

Odour: Not applicable

Odour threshold: Not applicable

pH-value: Not applicable

Melting point/freezing point: Not applicable

Initial boiling point and boiling range: Not applicable

Flash point: >41C

Evaporation rate: Not applicable

Flammability (solid, gas): Not applicable Lower explosive limit: Not applicable Upper explosive limit: Not applicable Vapour pressure: Not applicable

Vapour density (air = 1): Not applicable

Density: Not applicable Bulk density: Not applicable



Safety Data Sheet (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

Solubility(ies): Not applicable Water solubility: Not applicable

Partition coefficient (n-octanol/water): Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable

Viscosity: Non-viscous

9.2. Other information

No information available at present.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous ingredients:

Hydrocarbons, c9-11, n-alkanes, isoalkanes, cyclics, <2% aromatics



Version: 1.01

Date of issue: 31.08.2020

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	LC50	>5000	mg/l

DICHLOROMETHANE

ORL	MUS	LD50	4770	mg/kg
ORL	RAT	LD50	5350	mg/kg
SCU	MUS	LD50	6460	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
STOT-single exposure	-	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:

There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

11.2. Information on other hazards

No information available at present

SECTION 12: Ecological information

12.1. Toxicity

Toxic effect on the environment for the components of the mixture:

No information available

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.



Version: 1.01

Date of issue: 31.08.2020

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance

12.6. Endocrine disrupting properties

Other adverse effects: Negligible ecotoxicity

12.7. Other adverse effectsNo information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Remove to an authorized waste incinerator for solvents with energy recovery. Do not discharge into surface water. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

European List of Waste (LoW) code: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

14.1. UN number or ID number

UN1993

14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S.

(HYDROCARBONS, C9-11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS)

14.3. Transport hazard class(es)

3

14.4. Packaging group

Ш

14.5. Environmental hazards

The substance does not pose a threat to the environment according to the criteria in the UN Model Regulations

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.



Version: 1.01

Date of issue: 31.08.2020

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: EU Legislation Regulation (EC) No 1907/2006 REACH. Regulation (EC) No 1272/2008 CLP. This mixture may be classed as a detergent due to its intended use and we expect it to comply with the biodegradability criteria as laid down in Regulation (EC)

No.648/2004 on detergents, based on details of the individual chemicals. Guidance Notes: Wokplace Exposure Limits EH40

The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

15.2. Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Any abbreviations and acronyms used in this document:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



Version: 1.01

Date of issue: 31.08.2020

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

DNEL derived no-effect level

EC-No. European community number

ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard

EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument

TWA Time weighted average

UN United Nations

WHO World health organisation