

Version: 1.01

Date of issue: 31.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier:

**Bad Boys Hardcore** 

UFI: 1030-N0WN-G00U-YS9J

# 1.2. Relevant identified uses of the substance or mixture and uses advised against:

Preparation for washing surfaces in the form of a concentrate

# 1.1. Details of the supplier of the safety data sheet:

RR CUSTOMS Sp. z o.o. ul. Ściegiennego 276, 25-116 Kielce

tel.: +48 508 144 377

e-mail: office@rrcustoms.com

1.3. EMERGENCY TELEPHONE NUMBER

+48 508 144 377

**SECTION 2:** Hazards identification

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture has been classified as hazardous in accordance with applicable regulations.

Skin Corr. 1A, H314: Causes severe skin burns and eye damage

Eye Dam. 1, H318: Causes serious eye damage

### 2.2. Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Substances affecting the classification: Isotridecanol Ethoxylated, Sodium Hydroxide, Sodium Laureth Sulfate, Tetrasodium Edetate.

# **Hazard pictograms**



Signal word: Danger



Version: 1.01

Date of issue: 31.08.2020

#### **Hazard statements:**

H314 Causes severe skin burns and eye damage

#### **Precautionary statements:**

P264 Wash hands thoroughly after handling.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. **P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do. Continue rinsing.

**P501** Dispose of contents/container to appropriate recycling container in accordance with local regulation.

Statements in accordance with EC regulation 648/2004

Composition: 15-30% non-ionic surfactants, 5-15% EDTA and salts thereof, 5-15% phosphonate, <5% anionic surfactants, dye.

#### 2.3. Other hazards

No other hazards known.

# **SECTION 3:** Composition/information on ingredients

# 3.2. Mixtures

5-11,7% Isotridecanol, ethoxylated Danger

CAS: 69011-36-5 | POLIMER

Acute Tox. 4, H302 | Eye Dam. 1, H318

3-7% Etidronic Acid, Tetrasodium Salt Danger

CAS: 3794-83-0 | WE: 223-267-7 | REACH: -

Eye Irrit. 1, H319 | Acute Tox. 4, H302

3-6% Sodium hydroxide Danger

CAS: 1310-73-2 | EC: 215-185-5 | Index: 011-002-00-6 | REACH: 01-2119457892-27-XXXX

Met. Corr. 1, H290 | Skin Corr. 1A, H314

2,5 – 5% Sodium Laureth Sulfate Danger

CAS: 68891-38-3 | EC: 500-234-8 | REACH: 01-2119488639-16-XXXX

Skin Irrit. 2, H315 | Eye Dam. 1, H318

1,5-3% 2-butoxyethanol Warning

CAS: 111-76-2 | EC: 203-905-0 | Index: 603-014-00-0 | REACH: 01-2119475108-36-XXXX

Skin Irrit. 2, H315 | Eye Irrit. 2, H319 | Acute Tox. 4, H302 | Acute Tox. 4, H312 | Acute Tox. 4, H332



Version: 1.01

Date of issue: 31.08.2020

2-4% 2-(2-butoxyethoxy)ethanol Warning

CAS: 112-34-5 | EC: 203-961-6 | Index: 603-096-00-8 | REACH: 01-2119475104-44-XXXX

Eye Irrit. 2, H319

3-6,8% Tetrasodium ethylenediaminetetraacetate Danger

CAS: 64-02-8 | EC: 200-573-9 | Index: 607-428-00-2 | REACH: 01-2119486762-27-XXXX

Acute Tox. 4, H302 | Eye Dam. 1, H318

Full text of H-phrases: see SECTION 16.

#### SECTION 4: First aid measures

# 4.1. Description of first aid measures

Never pour anything into the mouth of an unconscious person!

#### **Inhalation**

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

## Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

# Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact:, Burns on skin and mucosal tissues

Symptoms/effects after eye contact: Irritation of the eye tissue

Symptoms/effects after ingestion: Gastro-intestinal irritation

Symptoms/effects after inhalation: EXPOSURE TO HIGH CONCENTRATIONS: Coughing. Dry/sore throat. Central

nervous system depression. Dizziness. Headache.

# 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

### SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Does not require the use of special extinguishing media



Version: 1.01

Date of issue: 31.08.2020

# 5.2. Special hazards arising from the substance or mixture

Incomplete combustion products may contain carbon oxides

### 5.3. Advice for firefighters

Cool adjacent containers by spraying water on them.

#### **SECTION 6:** Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping

### 6.2. Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous. If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Use no flammable substances.

Fill the absorbed material into lockable containers.

### 6.4. Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Ensure good ventilation.

Avoid inhalation of the vapours.

If applicable, suction measures at the workstation or on the processing machine necessary. Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate. Use explosion-proof equipment.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

Use working methods according to operating instructions.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not store with flammable or self-igniting materials. Solvent resistant floor

Store in a well ventilated place. Store cool

Protect from direct sunlight and warming.



Version: 1.01

Date of issue: 31.08.2020

Observe special storage conditions.

7.3. Specific end use(s)

No information available at present.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Components with workplace control parameters:

# 2-butoxyethanol

-butoxyethanoi					
Component	CAS-No.	Value	Control	Basis	
			parameters		
2-Butoxyethanol	111-76-2	TWA	20 ppm 98 mg/m3	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values	
	Remarks	Identifies to skin Indicative			
		STEL	50 ppm 246 mg/m3 Europe. Commission Directive 2000/39/EC establishing a fillist of indicative occupational exposure limit values		
		Identifies the possibility of significant uptake through the skin Indicative			
		TWA	25 ppm UK. EH40 WEL - Workplace Exposure Limits		
		those for w	e absorbed through skin. The assigned substances are for which there are concerns that dermal absorption ad to systemic toxicity.		
		STEL	50 ppm	UK. EH40 WEL - Workplace Exposure Limits	
		Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

**Biological occupational exposure limits** 

biological occupational exposure innits							
Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
2-Butoxyethanol	111-76-2	butoxyaceti c acid	240Milli moles per mole Creatinin e	Urine	UK. Biological monitoring guidance values		
	Remarks	After shift					



Version: 1.01

Date of issue: 31.08.2020

# 2-(2-butoxyethoxy)ethanol

Component	CAS-No.	Value	Control parameters	Basis
2-(2- Butoxyethoxy)eth anol	112-34-5	STEL	15 ppm 101.2 mg/m3	Europe. Indicative occupational exposure limit values
	Remarks	Indicative		
		TWA	10 ppm 67.5 mg/m3	Europe. Indicative occupational exposure limit values
		Indicative		
		TWA	10 ppm 67.5 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		STEL	15 ppm 101.2 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

# Sodium hydroxide

Component	CAS-No.	Value	Control parameters	Basis
Sodium hydroxide	1310-73-2	STEL	2 mg/m3	UK. EH40 WEL - Workplace
				Exposure Limits

**Derived No Effect Level (DNEL)** 

Derived No Effect Level (DNEE)						
Application Area	Exposure routes	Health effect	Value			
Workers	Inhalation	Long-term local effects	1 mg/m3			
Consumers	Inhalation	Long-term local effects	1 mg/m3			

# **Sodium Laureth Sulfate**

# **Derived effect levels**

Component	Cas-No	Туре	Exposure	Value	Population	Effects
Sodium Laureth Sulfate	68891-38-3	DNEL	Long term Dermal	2750 mg/kg bw/day	Workers	-
		DNEL	Long term Inhalation	175 mg/m³	Workers	-



Version: 1.01

Date of issue: 31.08.2020

#### Predicted effect concentrations

Component	Cas-No	Туре	Compartment Detail	Value	Method Detail
Sodium Laureth Sulfate	68891-38-3	PNEC	Fresh water	0.24 mg/l	Assessment Factors
		PNEC	Fresh water Fresh water Fresh water sediment Fresh water sediment Soil	0.024 mg/l 0.071 mg/l 5.45 mg/kg 0.545 mg/kg 0.946 mg/kg	Assessment Factors Assessment Factors Equilibrium Partitioning Equilibrium Partitioning Equilibrium Partitioning

### 8.2. Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

# Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.



Version: 1.01

Date of issue: 31.08.2020

### **SECTION 9:** Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: bicolour (red-yellow)
Odour: Not applicable

Odour threshold: Not applicable

pH-value: ~ 14

Melting point/freezing point: Not applicable Initial boiling point and boiling range: ~100°C

Flash point: Not applicable Evaporation rate: Not applicable

Flammability (solid, gas): Not applicable Lower explosive limit: Not applicable Upper explosive limit: Not applicable Vapour pressure: Not applicable

Vapour density (air = 1): Not applicable

Density: ~ 1kg/dm<sup>3</sup>

Bulk density: Not applicable Solubility(ies): Not applicable Water solubility: Not applicable

Partition coefficient (n-octanol/water): Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable

Viscosity: Not applicable

#### 9.2. Other information

No information available at present.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reacts violently with acids to form salts (heat is released). Reacts with ammonium salts to release ammonia. Strongly corrosive to metals (aluminum, zinc, tin, lead, brass) - the possibility of hydrogen formation - risk of explosion.

#### 10.2. Chemical stability

The product is chemically stable

# 10.3. Possibility of hazardous reactions

Strong acids

# 10.4. Conditions to avoid

Do not heat the mixture and do not expose to direct sunlight.

### 10.5. Incompatible materials

Strong acids, metals showing amphoteric properties

#### 10.6. Hazardous decomposition products

No information available.



Version: 1.01

Date of issue: 31.08.2020

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information on the components of the mixture:

# SIsotridecanol, ethoxylated

# Acute toxicity

LD50 Oral >500 mg/kg - Rat Harmful if swallowed

Irritation/Corrosion

Skin: No known significant effects or critical hazards.

**Eyes:** Causes serious eye damage.

**Respiratory:** No known significant effects or critical hazards.

# Sodium hydroxide

# Acute toxicity

No data available

### Skin corrosion/irritation

Skin - Rabbit Result: Severe skin irritation - 24 h

Remarks: (RTECS)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

(OECD Test Guideline 405) Causes serious eye damage.

### **Sodium Laureth Sulfate**

# **Acute toxicity**

LD50 Dermal Rat - Male, Female >2000 mg/kg LD50 Oral Rat - Male, Female >2500 mg/kg LD50 Oral Rat - Male, Female 4100 mg/kg No known significant effects or critical hazards

# Irritation/Corrosion

Skin: Skin irritation

Eyes: Risk of serious damage to eyes.

# 2-butoxyethanol

# **Acute toxicity**

LD50 Oral - Rat - male - 880 mg/kg (OECD Test Guideline 401) LD50 Dermal - Rabbit - male - 1,060 mg/kg (OECD Test Guideline 402) LD50 Intraperitoneal - Rat - 220 mg/kg



Safety Data Sheet (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

LD50 Intravenous - Rat - 307 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 20 h

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h (OECD Test Guideline 405)

# 2-(2-butoxyethoxy)ethanol

### **Acute toxicity**

LD50 Oral - Mouse - male - 2,410 mg/kg

(OECD Test Guideline 401)

LD50 Dermal - Rabbit - male - 2,764 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 1 h

(OECD Test Guideline 404)

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation. - 72 h

(OECD Test Guideline 405)

(Regulation (EC) No 1272/2008, Annex VI)

### 11.2. Information on other hazards

No information available at present

# SECTION 12: Ecological information

# 12.1. Toxicity

Toxic effect on the environment for the components of the mixture:

# Isotridecanol, ethoxylated

EC50 1,5 mg/l -48 hours Daphnia LC50 3 mg/l -96 hours Fish

# Sodium hydroxide

Toxicity to fish

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h



Safety Data Sheet (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h

Remarks: (ECHA)
Toxicity to bacteria

EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min

Remarks: (External MSDS)

# **Sodium Laureth Sulfate**

Acute EC50 2.6 mg/l Fresh water Algae - Desmodesmus subspicatus 72 hours

Acute EC50 27 mg/l Fresh water Algae - Desmodesmus subspicatus 72 hours

Acute EC50 7.2 mg/l Fresh water Daphnia - Daphnia magna 48 hours

Acute LC50 7.1 mg/l Fresh water Fish - Brachydanio rerio 96 hours

Acute NOEC 0.18 mg/l Fresh water Daphnia - Daphnia magna 21 days

Acute NOEC 0.27 mg/l Fresh water Daphnia - Daphnia magna 21 days

Acute NOEC 1 mg/l Fresh water Fish - Pimephales promelas 45 days

Acute NOEC 1 mg/l Fresh water Fish - Pimephales promelas 45 days

# 2-butoxyethanol

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1,474 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 1,550 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae Growth

inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - 1,840 mg/l - 72 h

(OECD Test Guideline 201)

# 2-(2-butoxyethoxy)ethanol

Toxicity to fish

static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 1,300 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(Regulation (EC) No. 440/2008, Annex, C.2)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 96 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC10 - activated sludge - > 1,995 mg/l - 30 min

(OECD Test Guideline 209)

# 12.2. Persistence and degradability

Ingredients spread easily biodegradable



Version: 1.01

Date of issue: 31.08.2020

### 12.3. Bioaccumulative potential

The components of the mixture do not show bioaccumulation

# 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The mixture does not meet the criteria

# 12.6. Endocrine disrupting properties

No information available

# 12.7. Other adverse effects

No information available

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Remove to an authorized waste incinerator for solvents with energy recovery. Do not discharge into surface water. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

European List of Waste (LoW) code: 20 01 29\* - detergents containing dangerous substances

#### SECTION 14: Transport information

### 14.1. UN number or ID number

ADR/RID: 1719 IMDG: 1719 IATA: 1719

**14.2. UN proper shipping name** CAUSTIC ALKALI LIQUID, N.O.S. **14.3. Transport hazard class(es)** 

8

14.4. Packaging group

Ш

# 14.5. Environmental hazards

The substance does not pose a threat to the environment according to the criteria in the UN Model Regulations



Version: 1.01

Date of issue: 31.08.2020

### 14.6. Special precautions for user

**CAUSTIC MATERIAL** 

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulation/legislation specific for the substance or mixture COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation(EC)No.1272/2008-CLP

Regulation(EC)No.648/2004-Detergents regulation

The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

# 15.2. Chemical safety assessment

A chemical safety assessment is not required.

# **SECTION 16:** Other information

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

Full text of H-Statements referred to under sections 2 and 3.

**H290** May be corrosive to metals

H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

**H315** Causes skin irritation

H318 Causes serious eye damage

H319 Causes serious eye irritation

H332 Harmful if inhaled

Any abbreviations and acronyms used in this document:



Version: 1.01

Date of issue: 31.08.2020

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

DNEL derived no-effect level

EC-No. European community number

ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

**EN European Standard** 

**EU European Union** 

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

**IMDG International Maritime Dangerous Goods** 

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument

TWA Time weighted average

**UN United Nations** 

WHO World health organisation