

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

Bad Boys Leather Cleaner PRO

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Preparation for cleaning leather surfaces

1.3. Details of the supplier of the safety data sheet:

RR CUSTOMS Sp. z o.o. ul. Ściegiennego 276, 25-116 Kielce tel.: +48 508 144 377 e-mail: office@rrcustoms.com

1.4.EMERGENCY TELEPHONE NUMBER

+48 508 144 377

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture has not been classified as hazardous in accordance with applicable regulations

2.2. Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Statements in accordance with EC regulation 648/2004 Composition: <5% non-ionic surfactants, <5% anionic surfactants, <5% amphoteric surfactants, benzisothiazolinone

P101 If medical advice is needed, have product container or label at hand.

P102 Keep away from children.

P103 Read the instruction before use.

P501 Dispose of contents/container to appropriate recycling container in accordance with local regulation P280 Wear protective gloves.

2.3. Other hazards

No other hazards known.



SECTION 3: Composition/information on ingredients

3.2. Mixtures

0,4-0,8% 2-(2-butoxyethoxy)ethanol Warning CAS: 112-34-5 | EC: 203-961-6 | Index: 603-096-00-8 | REACH: 01-2119475104-44-XXXX Eye Irrit. 2, H319

0,1-0,25% Sodium Lauryl Sulfate Danger CAS: 85586-07-8 | EC: 287-809-4 | REACH: 01-2119489463-28-XXXX Skin Irrit. 2, H315 | Eye Dam. 1, H318 | Aquatic Chronic 3, H412 | Acute Tox. 4, H302

0,1-0,25% Cocamidopropyl Betaine Danger CAS: 61789-40-0 | EC: 263-058-8 Eye Irrit. 2, H319

Full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : , Burns on skin and mucosal tissues

Symptoms/effects after eye contact : Irritation of the eye tissue

Symptoms/effects after ingestion: Gastro-intestinal irritation

Symptoms/effects after inhalation : EXPOSURE TO HIGH CONCENTRATIONS: Coughing. Dry/sore throat. Central nervous system depression. Dizziness. Headache.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment



SECTION 5: Firefighting measures

5.1. Extinguishing media

Does not require the use of special extinguishing media

5.2. Special hazards arising from the substance or mixture

Incomplete combustion products may contain carbon oxides

5.3. Advice for firefighters

Cool adjacent containers by spraying water on them.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping

6.2. Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent penetration into drains, cellars, working pits or other places in which accumulation could

be hazardous. If accidental entry into drainage system occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Use no flammable substances.

Fill the absorbed material into lockable containers.

6.4. Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure good ventilation.

Avoid inhalation of the vapours.

If applicable, suction measures at the workstation or on the processing machine necessary. Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate. Use explosion-proof equipment.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not store with flammable or self-igniting materials. Solvent resistant floor.

Store in a well ventilated place. Store cool.



Protect from direct sunlight and warming.Observe special storage conditions.**7.3. Specific end use(s)**No information available at present.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters:

2-(2-butoxyethoxy)ethanol

Component	CAS-No.	Value	Control parameters	Basis
2-(2- Butoxyethoxy)eth anol	112-34-5	STEL	15 ppm 101.2 mg/m3	Europe. Indicative occupational exposure limit values
	Remarks	Indicative		
		TWA	10 ppm 67.5 mg/m3	Europe. Indicative occupational exposure limit values
		Indicative	e	
		TWA	10 ppm 67.5 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		STEL	15 ppm 101.2 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

Sodium Lauryl Sulfate

Derived effect levels

Component	Cas-No	Туре	Exposure	Value	Population	Effects
Sodium Lauryl Sulfate	85586-07-8	DNEL	Long term Dermal	4060 mg/kg bw/day	Workers	-
,		DNEL	Long term Inhalation	285 mg/m ³	Workers	-

Predicted effect concentrations

Component	Cas-No	Туре	Compartment Detail	Value	Method Detail
Sodium Lauryl Sulfate	85586-07-8	PNEC	Fresh water	0,102 mg/l	Assessment Factors



PNEC	Marine	0,01 mg/l	Assessment Factors
------	--------	-----------	--------------------

8.2. Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

Personal protection equipment: not required

Respiratory protection: not required

Eye protection: not required

Hand protection: not required

Skin protection : not required

Protective and hygienic measures: not required

Control of environmental exposure: Do not allow large amounts of undiluted product to enter drains, water or soil. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Clear Odour: Not applicable Odour threshold: Not applicable pH-value: ~ 7,5 Melting point/freezing point: Not applicable Initial boiling point and boiling range: ~100°C Flash point: Not applicable Evaporation rate: Not applicable Flammability (solid, gas): Not applicable Lower explosive limit: Not applicable Upper explosive limit: Not applicable Vapour pressure: Not applicable Vapour density (air = 1): Not applicable Density: $\sim 1 \text{kg/dm}^3$ Bulk density: Not applicable Solubility(ies): Not applicable Water solubility: Not applicable Partition coefficient (n-octanol/water): Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable Viscosity: Not applicable



9.2. Other information No information available at present.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is not reactive10.2. Chemical stabilityThe product is chemically stable

10.3. Possibility of hazardous reactions
No hazardous reactions are anticipated
10.4. Conditions to avoid
Do not heat the mixture and do not expose to direct sunlight.
10.5. Incompatible materials
Strong acids
10.6. Hazardous decomposition products
No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information on the components of the mixture:

2-(2-butoxyethoxy)ethanol

Acute toxicity LD50 Oral - Mouse - male - 2,410 mg/kg (OECD Test Guideline 401) LD50 Dermal - Rabbit - male - 2,764 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: Mild skin irritation - 1 h (OECD Test Guideline 404) Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. Serious eye damage/eye irritation Eyes - Rabbit Result: Causes serious eye irritation. - 72 h (OECD Test Guideline 405) (Regulation (EC) No 1272/2008, Annex VI)

Sodium Lauryl Sulfate Acute toxicity

LD50 Dermal Rabbit - Male, Female >2000 mg/kg LD50 Oral Rat - Male 2000 mg/kg



LD50 Oral Rat - Female >2000 mg/kg Primary irritant effect: Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Strong irritant with the danger of severe eye injury. Causes serious eye damage. **Respiratory or skin sensitisation** No sensitizing effects known.

Cocamidopropyl Betaine

Acute Toxicity LD50 Oral Rat - 4900 mg/kg Skin Corrosion/Irritation: Causes skin irritation. pH: 4 - 6 Serious Eye Damage/Irritation: Causes serious eye irritation. pH: 4 - 6 Respiratory or Skin Sensitization: Not classified

11.2. Information on other hazards

No information available at present

SECTION 12: Ecological information

12.1. Toxicity

Toxic effect on the environment for the components of the mixture:

2-(2-butoxyethoxy)ethanol

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 1,300 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 96 h (OECD Test Guideline 201) Toxicity to bacteria static test EC10 - activated sludge - > 1,995 mg/l - 30 min (OECD Test Guideline 209)

Sodium Lauryl Sulfate

Aquatic toxicity: EC50 > 20 mg/l (algea) (OECD 201) 4.7 mg/l (daphnia) (OECD 202) LC50 3.6 mg/l (fish) (OECD 203)



Long term toxicity - NOEC 0.5 mg/l (daphnia) 0.5 mg/l (fish)

Cocamidopropyl Betaine

LC50 Fish 1 1 (1 - 10) mg/l (Exposure time: 96 h - Species: Brachydanio rerio) EC50 Daphnia 1 6.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 Other Aquatic Organisms 1 1 (1 - 10) mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) LC 50 Fish 2 2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])

12.2. Persistence and degradability
Ingredients spread easily biodegradable
12.3. Bioaccumulative potential
The components of the mixture do not show bioaccumulation

12.4. Mobility in soil
No information available.
12.5. Results of PBT and vPvB assessment
The mixture does not meet the criteria
12.6. Endocrine disrupting properties
No information available
12.7. Other adverse effects
No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Remove to an authorized waste incinerator for solvents with energy recovery. Do not discharge into surface water. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

European List of Waste (LoW) code : 20 01 30 detergents other than those mentioned in 20 01 29



14.1. UN number or ID number
No information available.
14.2. UN proper shipping name
No information available.
14.3. Transport hazard class(es)
No information available.
14.4. Packaging group
No information available.
14.5. Environmental hazards
The substance does not pose a threat to the environment according to the criteria in the UN Model Regulations
14.6. Special precautions for user
No information available.
14.7. Maritime transport in bulk according to IMO instruments
Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulation/legislation specific for the substance or mixture COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation(EC)No.1272/2008-CLP Regulation(EC)No.648/2004-Detergents regulation

The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

15.2. Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: Other information

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

Full text of H-Statements referred to under sections 2 and 3.



H302 Harmful if swallowed H315 Causes skin irritation H318 Causes serious eye damage H319 Causes serious eye irritation H411 Toxic to aquatic life with long-lasting effects H412 Harmful to aquatic life with long-lasting effects

Any abbreviations and acronyms used in this document:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute toxicity estimate CAS-Nr. Chemical Abstracts Service number Conc. Concentration DNEL derived no-effect level EC-No. European community number ECx Effective concentration to x % EH40 WEL Worker Exposure Limit EINECS European inventory of existing commercial substances ELINCS European list of notified chemical substances **EN European Standard EU European Union** IATA International Air Transport Association IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) ICx Inhibition concentration to x % IMDG International Maritime Dangerous Goods LCx Lethal concentration to x % LDx Lethal dose to x % LOEC/LOEL Lowest observed effect concentration/level MARPOL MARPOL: International Convention for the prevention of marine pollution from ships N.O.S. Not otherwise specified NOEC/NOEL No observed effect concentration/level OECD Organization for Economic Co-operation and Development RID Regulations concerning the International Carriage of Dangerous Goods by Rail SI Statutory Instrument TWA Time weighted average **UN United Nations**

WHO World health organisation