

Version: 1.01

Date of issue: 31.08.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier:

Bad Boys Plastic Cleaner Bubble Gum

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

Preparation for cleaning surfaces ready to use.

# 1.3. Details of the supplier of the safety data sheet:

RR CUSTOMS Sp. z o.o.

ul. Ściegiennego 276, 25-116 Kielce

tel.: +48 508 144 377

e-mail: office@rrcustoms.com

# 1.4.EMERGENCY TELEPHONE NUMBER

+48 508 144 377

# **SECTION 2:** Hazards identification

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture has not been classified as hazardous in accordance with applicable regulations.

# 2.2. Label elements

# Labeling according to Regulation (EC) 1272/2008 (CLP)

Statements in accordance with EC regulation 648/2004:

Composition: 5-15% non-ionic surfactants, <5% anionic surfactants, <5% EDTA and salts thereof,

benzisothiazolinone, perfumes.

Contains: Linalool. May produce an allergic reaction.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep away from children.

P103 Read the instruction before use.

P501 Dispose of contents/container to appropriate recycling container in accordance with local regulation

P280 Wear protective gloves.

#### 2.3. Other hazards

No other hazards known.



Version: 1.01

Date of issue: 31.08.2020

# **SECTION 3:** Composition/information on ingredients

#### 3.2. Mixtures

3-5% Propan-2-ol Danger

CAS: 67-63-0 | EC: 200-661-7 | Index: 603-117-00-0 | REACH: 01-2119457558-25-XXXX

Eye Irrit. 2, H319 | Flam Liq. 2, H225 | STOT SE 3, H336

0,1 - <0,5% Dodecyldimethylamine oxide Danger CAS: 1643-20-5 | REACH: 01-2119490061-47-XXXX

Skin Irrit. 2, H315 | Eye Dam. 1, H318 | Aquatic Acute 1, H400 | Aquatic Chronic 2, H411

Full text of H-phrases: see SECTION 16.

#### SECTION 4: First aid measures

# 4.1. Description of first aid measures

Never pour anything into the mouth of an unconscious person!

#### **Inhalation**

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

# Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact:, Burns on skin and mucosal tissues

Symptoms/effects after eye contact: Irritation of the eye tissue Symptoms/effects after ingestion: Gastro-intestinal irritation

Symptoms/effects after inhalation: EXPOSURE TO HIGH CONCENTRATIONS: Coughing. Dry/sore throat. Central

nervous system depression. Dizziness. Headache.

# 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment



Version: 1.01

Date of issue: 31.08.2020

### SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Does not require the use of special extinguishing media

### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion products may contain carbon oxides

### 5.3. Advice for firefighters

Cool adjacent containers by spraying water on them.

### **SECTION 6:** Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air.

Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping

# 6.2. Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous. If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Use no flammable substances.

Fill the absorbed material into lockable containers.

#### 6.4. Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Ensure good ventilation.

Avoid inhalation of the vapours.

If applicable, suction measures at the workstation or on the processing machine necessary. Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate. Use explosion-proof equipment.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

Use working methods according to operating instructions.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not store with flammable or self-igniting materials. Solvent resistant floor



Safety Data Sheet (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

Store in a well ventilated place. Store cool.

Protect from direct sunlight and warming. Observe special storage conditions.

# 7.3. Specific end use(s)

No information available at present.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Components with workplace control parameters:

#### Propan-2-ol

Component	CAS-No.	Value	Control parameters	Basis
2-Propanol	67-63-0	STEL	500 ppm 1,250 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		TWA	400 ppm 999 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

# 8.2. Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

Personal protection equipment: not required

Respiratory protection: not required

Eye protection: not required Hand protection: not required Skin protection: not required

Protective and hygienic measures: not required

Control of environmental exposure: Do not allow large amounts of undiluted product to enter drains, water or soil.

Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Clear

Odour: Not applicable



Safety Data Sheet (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

Odour threshold: Not applicable

pH-value: ~7

Melting point/freezing point: Not applicable Initial boiling point and boiling range: ~100°C

Flash point: Not applicable

Evaporation rate: Not applicable

Flammability (solid, gas): Not applicable Lower explosive limit: Not applicable Upper explosive limit: Not applicable Vapour pressure: Not applicable

Vapour density (air = 1): Not applicable

Density: ~ 1kg/dm<sup>3</sup>

Bulk density: Not applicable Solubility(ies): Not applicable Water solubility: Not applicable

Partition coefficient (n-octanol/water): Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable

Viscosity: Not applicable

#### 9.2. Other information

No information available at present.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is not reactive

# 10.2. Chemical stability

The product is chemically stable

# 10.3. Possibility of hazardous reactions

No hazardous reactions are anticipated

### 10.4. Conditions to avoid

Do not heat the mixture and do not expose to direct sunlight.

#### 10.5. Incompatible materials

Strong acids, strong bases

# 10.6. Hazardous decomposition products

No information available.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information on the components of the mixture:



Version: 1.01

Date of issue: 31.08.2020

# Propan-2-ol

# **Acute toxicity**

LD50 Oral - Rat - 5,840 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 37.5 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - 12,800 mg/kg

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

# Dodecyldimethylamine oxide

# Acute toxicity

LD50 Oral - Rat - 1,064 mg/kg (OECD Test Guideline 401)

# Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(OECD Test Guideline 405)

# Respiratory or skin sensitisation

No data available

#### 11.2. Information on other hazards

No information available at present

# SECTION 12: Ecological information

# 12.1. Toxicity

Toxic effect on the environment for the components of the mixture:

#### Propan-2-ol

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 9,640 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 13,299 mg/l - 48 h

Remarks: (IUCLID)



Version: 1.01

Date of issue: 31.08.2020

Toxicity to algae

IC50 - Desmodesmus subspicatus (green algae) - > 1,000 mg/l - 72 h

Remarks: (IUCLID)
Toxicity to bacteria

EC5 - Pseudomonas putida - 1,050 mg/l - 16 h

Remarks: (Lit.)

# Dodecyldimethylamine oxide

Toxicity to fish

semi-static test LC50 - Danio rerio (zebra fish) - 31.8 mg/l - 96 h

(OECD Test Guideline 203)

flow-through test NOEC - Pimephales promelas (fathead minnow) - 0.495 mg/l - 15 d

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 3.9 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static

test ErC50 - Pseudokirchneriella subcapitata (green algae) - 0.2 mg/l - 72 h

(OECD Test Guideline 201)

ErC50 - Pseudokirchneriella subcapitata (green algae) - 0.146 mg/l

NOEC - Pseudokirchneriella subcapitata (green algae) - 0.015 mg/l

# 12.2. Persistence and degradability

Ingredients spread easily biodegradable

# 12.3. Bioaccumulative potential

The components of the mixture do not show bioaccumulation

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The mixture does not meet the criteria

# 12.6. Endocrine disrupting properties

No information available

# 12.7. Other adverse effects

No information available

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Remove to an authorized waste incinerator for



Version: 1.01

Date of issue: 31.08.2020

solvents with energy recovery. Do not discharge into surface water. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

European List of Waste (LoW) code: 20 01 30 detergents other than those mentioned in 20 01 29

#### SECTION 14: Transport information

#### 14.1. UN number or ID number

No information available.

#### 14.2. UN proper shipping name

No information available.

#### 14.3. Transport hazard class(es)

No information available.

#### 14.4. Packaging group

No information available.

#### 14.5. Environmental hazards

The substance does not pose a threat to the environment according to the criteria in the UN Model Regulations

### 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

#### **SECTION 15:** Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulation/legislation specific for the substance or mixture COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation(EC)No.1272/2008-CLP

Regulation(EC)No.648/2004-Detergents regulation

The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

# 15.2. Chemical safety assessment

A chemical safety assessment is not required.



Version: 1.01

Date of issue: 31.08.2020

#### SECTION 16: Other information

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

**H315** Causes skin irritation

H318 Causes serious eye damage

H400 Very toxic to aquatic life

H411 Toxic to aquatic life with long-lasting effects

# Any abbreviations and acronyms used in this document:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

DNEL derived no-effect level

EC-No. European community number

ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

**EN European Standard** 

**EU European Union** 

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

**IMDG** International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level



Version: 1.01

Date of issue: 31.08.2020

OECD Organization for Economic Co-operation and Development
RID Regulations concerning the International Carriage of Dangerous Goods by Rail
SI Statutory Instrument
TWA Time weighted average
UN United Nations
WHO World health organisation