



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier:

Bad Boys Wheel Cleaner Neon

UFI: 8J10-205W-900E-RYDF

### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

Preparation for washing wheels

### 1.3. Details of the supplier of the safety data sheet:

RR CUSTOMS Sp. z o.o.

ul. Ściegiennego 276, 25-116 Kielce

tel.: +48 508 144 377

e-mail: office@rrcustoms.com

### 1.4. EMERGENCY TELEPHONE NUMBER

+48 508 144 377

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture has been classified as hazardous in accordance with applicable regulations.

**Eye Dam. 1, H318: Causes serious eye damage**

### 2.2. Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Substances affecting the classification: Tetrasodium edetate, Alkyl polyglucoside fatty alcohol.

### Hazard pictograms



Signal word: **Danger**



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

**Hazard statements:**

**H318** Causes serious eye damage

**Precautionary statements:**

**P264** Wash hands thoroughly after handling.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

**P501** Dispose of contents/container to appropriate recycling container in accordance with local regulation.

Statements in accordance with EC regulation 648/2004:

Composition: 5-15% non-ionic surfactants, 5-15% EDTA and salts thereof, <5% phosphonates, <5% amphoteric surfactants, perfumes, dye.

Contains: Hexyl Cinnamal. May produce an allergic reaction

**2.3. Other hazards**

No other hazards known.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

4-8% Tetrasodium ethylenediaminetetraacetate Danger

CAS: 64-02-8 | EC: 200-573-9 | Index: 607-428-00-2 | REACH: 01-2119486762-27-XXXX

Acute Tox. 4, H302 | Eye Dam. 1, H318

1,5-3% (1-hydroxyethylidene)bisphosphonic acid, sodium salt Danger

CAS: 29329-71-3 | EC: 249-559-4 | REACH: 01-2119510382-52

Eye Irrit. 1, H319 | Acute Tox. 4, H302

1,5-3,5% 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts  
Warning

CAS: 61789-40-0 | EC: 263-058-8 | REACH: -

Skin Irrit. 2, H315 | Eye Irrit. 1, H319

1,5-3,5 % Alkylpolyglucoside C8-10 Danger

CAS: 68515-73-1 | EC: 500-220-1

Eye Dam. 1, H318

Full text of H-phrases: see SECTION 16.



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

Never pour anything into the mouth of an unconscious person!

#### **Inhalation**

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

#### **Skin contact**

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### **Eye contact**

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### **Ingestion**

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects after skin contact : , Burns on skin and mucosal tissues

Symptoms/effects after eye contact : Irritation of the eye tissue

Symptoms/effects after ingestion: Gastro-intestinal irritation

Symptoms/effects after inhalation : EXPOSURE TO HIGH CONCENTRATIONS: Coughing. Dry/sore throat. Central nervous system depression. Dizziness. Headache.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

Does not require the use of special extinguishing media

### **5.2. Special hazards arising from the substance or mixture**

Incomplete combustion products may contain carbon oxides

### **5.3. Advice for firefighters**

Cool adjacent containers by spraying water on them.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air.

Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

## 6.2. Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous. If accidental entry into drainage system occurs, inform responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Use no flammable substances.

Fill the absorbed material into lockable containers.

## 6.4. Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ensure good ventilation.

Avoid inhalation of the vapours.

If applicable, suction measures at the workstation or on the processing machine necessary. Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate. Use explosion-proof equipment.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

Use working methods according to operating instructions.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Do not store with flammable or self-igniting materials. Solvent resistant floor

Store in a well ventilated place. Store cool

Protect from direct sunlight and warming.

Observe special storage conditions.

### 7.3. Specific end use(s)

No information available at present.



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

Components with workplace control parameters:

#### **(1-hydroxyethylidene)bisphosphonic acid, sodium salt**

##### **DNELs**

The DNELs are those of the active acid.

DNEL (oral, long-term, workers): 13 mg/kg/day

DNEL (oral, long-term, consumers): 6,5 mg/kg/day

##### **PNECs**

The PNECs are those of the active acid.

PNEC (aqua-freshwater): 0,136 mg/l

PNEC (aqua-marine water): 0,0136 mg/l

PNEC (marine-CHARM): 0,068 mg/l

PNEC (sediment (freshwater)): 59 mg/kg sediment wwt

PNEC (sediment (marine water)): 5,9 mg/kg sediment wwt

PNEC (soil): 96 mg/kg wwt

PNEC (sewage treatment plant): 20 mg/l

PNEC (oral): 12 mg/kg food

### **8.2. Exposure controls**

#### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

#### **Personal protective equipment**

##### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

##### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state: Liquid

Colour: Neon

Odour: Not applicable

Odour threshold: Not applicable

pH-value: ~ 10

Melting point/freezing point: Not applicable

Initial boiling point and boiling range: ~100°C

Flash point: Not applicable

Evaporation rate: Not applicable

Flammability (solid, gas): Not applicable

Lower explosive limit: Not applicable

Upper explosive limit: Not applicable

Vapour pressure: Not applicable

Vapour density (air = 1): Not applicable

Density: ~ 1kg/dm<sup>3</sup>

Bulk density: Not applicable

Solubility(ies): Not applicable

Water solubility: Not applicable

Partition coefficient (n-octanol/water): Not applicable

Auto-ignition temperature: Not applicable

Decomposition temperature: Not applicable

Viscosity: Not applicable

### **9.2. Other information**

No information available at present.

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

Reacts violently with acids to form salts (heat is released). Reacts with ammonium salts to release ammonia. Strongly corrosive to metals (aluminum, zinc, tin, lead, brass) - the possibility of hydrogen formation - risk of explosion.



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

#### 10.2. Chemical stability

The product is chemically stable

#### 10.3. Possibility of hazardous reactions

Strong acids

#### 10.4. Conditions to avoid

Do not heat the mixture and do not expose to direct sunlight.

#### 10.5. Incompatible materials

Strong acids, metals showing amphoteric properties

#### 10.6. Hazardous decomposition products

No information available.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information on the components of the mixture:

##### Tetrasodium EDTA

LD50 = 1658 mg/kg ( Rat )

LD50 = 10 g/kg ( Rat )

##### (1-hydroxyethylidene)bisphosphonic acid, sodium salt

Acute toxicity:

LD/LC50 values that are relevant for classification: LD50 oral: 1100 mg/kg (rat)

#### 11.2. Information on other hazards

No information available at present

### SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic effect on the environment for the components of the mixture:

##### Tetrasodium EDTA

LC50: = 41 mg/L, 96h static (Lepomis macrochirus)

LC50: = 59.8 mg/L, 96h static (Pimephales promelas)

EC50: = 610 mg/L, 24h (Daphnia magna)

EC50: = 1.01 mg/L, 72h (Desmodesmus subspicatus)

##### (1-hydroxyethylidene)bisphosphonic acid, sodium salt

Aquatic toxicity:

LC 50 (Salmo gairdneri) > 100 mg/L 96h



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

EC 50 (Daphnia magna) > 170 mg/L 96h

#### **12.2. Persistence and degradability**

Ingredients spread easily biodegradable

#### **12.3. Bioaccumulative potential**

The components of the mixture do not show bioaccumulation

#### **12.4. Mobility in soil**

No information available.

#### **12.5. Results of PBT and vPvB assessment**

The mixture does not meet the criteria

#### **12.6. Endocrine disrupting properties**

No information available

#### **12.7. Other adverse effects**

No information available

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Remove to an authorized waste incinerator for solvents with energy recovery. Do not discharge into surface water. Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

European List of Waste (LoW) code : 20 01 29\* - detergents containing dangerous substances

### **SECTION 14: Transport information**

#### **14.1. UN number or ID number**

ADR/RID: 1719

IMDG: 1719

IATA: 1719

#### **14.2. UN proper shipping name**

CAUSTIC ALKALI LIQUID, N.O.S.





**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packaging group

III

#### 14.5. Environmental hazards

The substance does not pose a threat to the environment according to the criteria in the UN Model Regulations

#### 14.6. Special precautions for user

CAUSTIC MATERIAL

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulation/legislation specific for the substance or mixture COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation(EC)No.1272/2008-CLP Regulation(EC)No.648/2004-Detergents regulation

The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

#### 15.2. Chemical safety assessment

A chemical safety assessment is not required.

### SECTION 16: Other information

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

Full text of H-Statements referred to under sections 2 and 3.

**H290 May be corrosive to metals**

**H302 Harmful if swallowed**

**H314 Causes severe skin burns and eye damage**

**H315 Causes skin irritation**



**Safety Data Sheet** (according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 of 18 June 2020)

Version: 1.01

Date of issue: 31.08.2020

**H318 Causes serious eye damage**

**H319 Causes serious eye irritation**

**Any abbreviations and acronyms used in this document:**

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

DNEL derived no-effect level

EC-No. European community number

ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard

EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument

TWA Time weighted average

UN United Nations

WHO World health organisation