

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- Product identifier**
Substance / mixture
UFI
HELIODOR Interior Detailer
mixture
7H00-Y0GM-U002-S33U
- Relevant identified uses of the substance or mixture and uses advised against**
Intended uses of the mixture
Cleaning agent.
Uses of the mixture advised against
Do not use for uses other than those indicated in section 1.
Main intended use
PC-CLN-17.3 Interior cleaning and care products (excludes air care products and products for upholstery or leather)
Additional uses
PC-CLN-16.1 Leather – cleaning and care products
PC-CLN-14.1 Cleaning products for carpet/upholstery.
- Details of the supplier of the safety data sheet**
Supplier
Name or business name AUTO-BLAK Sp. z.o.o
Address Farbiarska 25a, 02-862 Warsaw, Poland
NIP No. PL1230950444
Telephone No. +48 22 899 19 66
E-mail serwis@auto-blak.pl
E-mail address of the competent person responsible for the Safety Data Sheet
Name Auto Graph Detailing
E-mail hello@auto-graph.eu
- Emergency telephone number**
112

SECTION 2: Hazards identification

- Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No. 1272/2008
The mixture is classified as hazardous.

Eye Irrit. 2, H319

Full text of all classifications and H statements is provided in section 16.
The most serious negative effects on human health and the environment
Causes serious eye irritation.
- Label elements**



Hazard pictogram

Signal word

Note

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

Hazard statements H319 Causes
serious eye irritation. **Precautionary**

statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

P264	Wash hands and affected body parts thoroughly after handling.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Additional information

<5 % cationic surfactants, <5 % non-ionic surfactants, aromatic compositions

3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The mixture does not contain any substance meeting the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description

Mixture of substances and additives specified below.

The mixture contains the following hazardous substances and substances with specified occupational exposure limits

Identification numbers	Substance name	Content in % weight	Classification in accordance with Regulation (EC) No.	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	1.5-2	1272/2008 Flam. Liq. 2, H225	1
CAS: 34590-94-8 EC: 252-104-2	(2-	1.5-2	not classified as hazardous Eye Dam. 1, H318	1
CAS: 68515-73-1 EC: 500-220-1 Registration number: 01-2119488530-36	Alkyl polyglycoside	1.2-1.5		
	2-	0.01-0.05	Acute Tox. 4, H302 Eye Irrit. 2, H319	1

Notes

1 Substance with a Community workplace exposure limit.

Full text of all classifications and H statements is provided in section 16.

SECTION 4: First aid measures

1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a physician and show them information from the product safety data sheet.

Inhalation

Stop exposure immediately, remove victim to fresh air.

Skin contact

Rinse the contact area with a large volume of - if possible - lukewarm water. If the skin is not injured, you can use soap, soapy water or shampoo.

Eye contact

Rinse eyes immediately with a stream of water, lift the eyelids (even with force); if the victim wears contact lenses, remove them immediately. Rinse eyes immediately with a stream of water, lift the eyelids (even with force); if the victim wears contact lenses, remove them immediately. Rinse for at least 10 minutes. Rinse out for at least 10 minutes. Provide medical and, if possible, specialist care.

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

Ingestion

DO NOT INDUCE VOMITING - Even induction of vomiting alone can cause complications, for example in the case of detergents and other foam-producing substances.

2. Most important symptoms, acute and delayed and effects of exposure Inhalation

Not expected.

Skin contact

Not expected.

Eye contact

Causes serious eye irritation. **Ingestion**
Irritation, nausea.

3. Indication of immediate medical attention and special treatment needed, if necessary

Symptomatic treatment

SECTION 5: Firefighting measures

1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray, water mist.

Not suitable extinguishing media

Water - full jet.

2. Specific hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

3. Advice for firefighter

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions provided in Sections 7 and 8. Prevent contact with skin and eyes.

2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

3. Methods and material for containment and cleaning up

Cover spilled product with suitable (non-flammable) absorbent material (sand, silica, soil and other suitable absorbent materials, etc.); collect in well-closed containers and dispose of according to Section 13. In the event of leakage of the substantial amount of the product, inform the fire brigade and other competent authorities. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

4. Reference to other sections

See sections 7, 8 and 13.

SECTION 7: Handling and storage of substances and mixtures

1. Precautions for safe handling

Prevent the formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and affected body parts thoroughly after handling. Use personal protective equipment in accordance with Section 8. Observe valid legal regulations on safety and health protection.

2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in a dedicated, cool, dry and well ventilated place.

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

Content	Type of packaging	Packaging material
500 ml	bottle	HDPE
1,000 ml	bottle	HDPE
5 l	canister	HDPE
10 l	canister	HDPE
25 l	canister	HDPE
20 l	canister	HDPE
30 l	canister	HDPE
100 l	barrel	HDPE
200 l	barrel	HDPE
750 ml	barrel	HDPE

3. **Specific end use(s)**
data not available

SECTION 8: Exposure controls/personal protection

1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

Poland

Journal of Laws 2018

Substance name	Typ	Value	Note
propan-2-ol (CAS: 67-63-0)	TLV	900 mg/m ³	Labelling the substance with the notation means that the absorption of the substance through the skin may be as important as in the
	STEL	1200 mg/m ³	
(2-methoxymethylethoxy)propanol (CAS: 34590-)	TLV	240 mg/m ³	Labelling the substance with the notation means that the absorption of the substance through the skin may be as important as in the
	STEL	480 mg/m ³	
2-phenoxyethanol (CAS:	TLV	230 mg/m ³	

item 1286

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

DNEL

(2-methoxymethylethoxy)propanol

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	exposure	308 mg/m ³ air	Systemic chronic effects	
Workers	Inhalation	283 mg/kg bw/day	Systemic chronic effects Systemic	
Consumers	Dermal Inhalation	37.2 mg/m ³ air	chronic effects Systemic chronic	
Consumers	Dermal	121 mg/kg bw/day	effects Systemic chronic effects	
Workers	Ingestion	36 mg/kg bw/day		

2- Effect

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers / consumers	Inhalation	5.7 mg/m ³ air	Systemic chronic effects Local chronic effects Systemic chronic	
Workers	Inhalation	5.7 mg/m ³ air	effects Systemic chronic effects	
Workers	Dermal	20.83 mg/kg bw/day	Local chronic effects Systemic	
Consumers	Inhalation	2.41 mg/m ³ air	chronic effects Systemic chronic	
Consumers	Inhalation	2.41 mg/m ³ air	effects	
Consumers	Dermal Ingestion	10.42 mg/kg bw/day	Short-term systemic effects	
Consumers	Ingestion	9.23 mg/kg bw/day		
Consumers	Route of exposure	9.23 mg/kg bw/day	Effect	

propan-2-ol Inhalation Systemic chronic effects Systemic chronic effects

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers / consumers	Inhalation	500 mg/m ³	Systemic chronic effects	
Workers	Ingestion			
Consumers	Dermal			
Consumers	Inhalation Dermal	26 mg/kg bw/day	Systemic chronic effects Systemic chronic effects	
Consumers		319 mg/kg		
Consumers		89 mg/m ³		
Workers		888 mg/kg		

PNEC

propan-2-ol

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

Route of exposure	Value	Determining
Microorganisms in wastewater treatment	2251 mg/l	
plants	28 mg/kg	
Soil (agricultural)	140.9 mg/l	
Water (periodic leak)	160 mg/kg	
Ingestion	140.9 mg/l	

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

propan-2-ol

Route of exposure	Value	Determining
Seawater	140.9 mg/l	
Freshwater	552 mg/kg	
sediments Sea	552 mg/kg	

2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

A half-mask with a filter against organic vapours, or an isolating respirator in the event of exceeding the level of the substance or in an environment with poor ventilation.

Thermal hazard

Data not available.

Environmental exposure control

Observe usual measures for the protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

1. Information on basic physical and chemical properties

Physical state	liquid
Colour	green, yellow
Odour	data not available
Melting point/freezing point	data not available
available Boiling point or initial boiling point and boiling range	data not available
Flammability of the materials	data not available
Lower and upper explosive limit	data not available
Flash point	data not available
Autoignition temperature	data not available
Decomposition temperature	data not available
pH	6-8 (undiluted)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient: n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density or relative density density	0.9-1.2 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

2. Other information

data not available

SECTION 10: Stability and reactivity

1. Reactivity

data not available

2. Chemical stability

The product is stable under normal conditions.

3. Possibility of hazardous reactions

Unknown.

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

5. Incompatible materials

Protect against strong acids and bases as well as oxidising agents.

6. Hazardous decomposition products

Under normal conditions of use, hazardous decomposition products should not be produced. Dangerous products such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapours above the occupational exposure limits may lead to acute inhalation poisoning, depending on the concentration level and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

(2-methoxymethylethoxy)propanol

Route of exposure	Parameter	Value	exposure	Sex
Method Ingestion	LD ₅₀	>5,000 mg/		Rat (Rattus norvegicus)
LD ₅₀ Dermal		>9500 mg/kg		Rat (Rattus norvegicus)
Inhalation	LC ₅₀	>275 ppm	7 godz	Rat (Rattus norvegicus)

2-phenoxyethanol

Route of exposure	Parameter	Method	Value	exposure	Sex
Inhalation		OECD 412	>1,000 mg/m ³ air	6 hours	Rat (Rattus norvegicus) F/M
Dermal	LD ₅₀		>2214 mg/kg		Rabbit F/M
Ingestion	LD ₅₀	OECD 401	1840 mg/kg		Rat (Rattus norvegicus) F

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye

irritation. 2-

Route of exposure	Result	Method	Time of exposure	Species
Eyes	Irritating	OECD 405	360	Rabbi

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

Reproductive toxicity

Based on available data the classification criteria are not met.

Specific target organ toxicity – single exposure

Based on available data the classification criteria are not met.

Specific target organ toxicity – repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

2. Information on other hazards

data not available

SECTION 12: Ecological information

1. Toxicity

Acute toxicity

Data for the mixture are not

available. propan-2-ol

Parameter	Value	Time of exposure	Species	Environment
LC ₅₀	>100 mg/l	48 hours	Fish (Leuciscus idus)	
LC ₅₀	>100 mg/l	48 hours	Invertebrates (Daphnia magna)	
CE ₅₀	>100 mg/l	72	Algae	

2. Persistence and degradability

Biodegradation

propan-2-ol

Parameter	Value	Time of exposure	Environments	Result
	>70 %	10 days		

The mixture is biodegradable.

3. Bioaccumulative potential

propan-2-ol

Parameter	Value	Time of exposure	Species	Environments	Ambient temperature
Log Pow	0.05				

Data not available.

4. Mobility in soil

Data not available.

5. Results of PBT and vPvB assessment

The product does not contain any substance meeting the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

6. Endocrine disrupting properties

data not available

7. Other adverse effects

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be placed in closed containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialised company) that is entitled for such activity. Do not pour unused product into drains. Do not dispose with municipal wastes. Empty packaging can be used for energy purposes in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Act of 14 December 2012 on waste (Journal of Laws of 2020, item 797, as amended). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Directive 94/62/EC on packaging and packaging waste. Regulation of the Minister of Climate of 2 January 2020 on the catalogue of wastes (Journal of Laws of 2020, item 10)

Waste type code

20 01 29 Detergents containing dangerous substances *

Packaging waste type code

15 01 02 Plastic packaging

(*) - hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

1. UN number or ID number

Not subject to ADR

2. UN proper shipping name

data not
available

3. Transport hazard class(es)

data not
available

4. Packing group

data not
available

5. Environmental hazards

data not
available

6. Special precautions for users

Reference in sections 4 to 8.

7. Maritime transport in bulk according to IMO instruments

data not
available

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on 30/03/2021
Updated on Version number 1.0

SECTION 15: Regulatory information

1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Journal of Laws L 396 of 30 December 2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (Journal of Laws L 132 of 29 May 2020, as amended)

Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006 (Journal of Laws L 353 of 31 December 2008, as amended).

Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals (Journal of Laws L 201 of 27 July 2012, as amended).

European agreement concerning the international carriage of dangerous goods by road (ADR), concluded in Geneva on 30 September 1957.

Act of 25 February 2011 on the chemical substances and their mixtures (Journal of Laws of 2019 item 1225, as amended). Act of 14 December 2012 on waste (Journal of Laws of 2020, item 797, as amended).

Act of 13 June 2020 on packaging management and packaging waste (Journal of Laws of 2013, item 1114, as amended).

Act of 19 August 2011 on the transport of dangerous goods (Journal of Laws of 2020, item 154, as amended).

Regulation of the Minister of Labour and Social Policy of 6 June 2014 on maximum permissible concentration and intensity of agents harmful to health in the working environment (Journal of Laws of 2014, item 817, as amended).

Regulation of the Minister of Climate of 2 January 2020 on the catalogue of wastes (Journal of Laws of 2020, item 10)

Regulation of the minister of health of 30 December 2004 on health and safety at work associated with the presence of chemical agents in the workplace (Journal of Laws of 2016, item 1488, as amended).

2. Chemical safety assessment

data not available

SECTION 16: Other information

A list of hazard statements used in the safety data sheet

H- it is not classified as hazardous

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

A list of precautionary statements used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

P264 Wash hands and affected body parts thoroughly after handling.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Further information important for the safety and protection of human health

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than those specified in Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

BCF Bioconcentration Factor

CAS Chemical Abstracts Service

CE₅₀ Concentration of a substance which affects 50% of the population

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International code for the construction and equipment of ships carrying dangerous chemicals in bulk
IC ₅₀	Half maximal inhibitory concentration
ICAO	International Civil Aviation Organisation
IMDG	International Maritime Dangerous Goods INCI International Nomenclature of Cosmetic Ingredients
ISO	International Organisation for Standardisation
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance which can be expected to cause the death of 50% of the population
LD ₅₀	Lethal dose of a substance which can be expected to cause the death of 50% of the population
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
log Kow	Octanol-water partition coefficient
VOC	Volatile Organic Compounds
MARPOL	International Convention for the Prevention of Pollution from Ships TLV
Threshold Limit Value	
STEL	Short-Term Exposure Limit
CEL	Ceiling Exposure Limit
NOAEC	No-observed-adverse-effect concentration NOAEL
adverse-effect level	NOEC No-observed-effect concentration
NOEL	No-observed-effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals RID Regulation concerning the International Carriage of Dangerous Goods by Rail
EU	European Union
UN	Four-digit identification number of the substance or article based on "UN Model Regulations"
UVCB	Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials
vPvB	Very Persistent and very Bioaccumulative EC Identification
code for each substance listed in the EINECS	
Acute Tox. classified	Acute toxicity Not classified
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
STOT SE	Specific target organ toxicity – single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

data not available

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the
European Parliament as amended



HELIODOR Interior Detailer

Prepared on	30/03/2021	Version number	1.0
Updated on			

Information about data sources used to compile the safety data sheet

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council (REACH) as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council as amended. Data from the manufacturer of the substance/mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.