

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date 08th November 2023
Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance / mixture ALABASTER
UFI 5R10-2056-300Y-2V8R

1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use

A product for protecting and caring for leather.

Main intended use

PC-CLN-16.5 Impregnation products for finished textiles and leather goods

Secondary uses

PC-CLN-16.1 Leather - cleaning and care products

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name AUTO-BLAK Sp. z o.o.
Address Farbiarska 25a, Warszawa, 02-862
Poland
VAT Reg No PL1230950444
Phone +48734002555
E-mail artur.bonkowicz@auto-graph.eu

Competent person responsible for the safety data sheet

Name AUTO-BLAK Sp. z o.o.
E-mail artur.bonkowicz@auto-graph.eu

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Eye Irrit. 2, H319
Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date 08th November 2023
Revision date Version 1.0

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands and exposed parts of the body thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Supplemental information

<5 % non-ionic surfactants, <5 % aliphatic hydrocarbons, perfumes

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 945-969-9	Hexadecyl-aminoethylaminopropyl-polydimethylsiloxane	3-5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
CAS: 166736-08-9 EC: 605-450-7	Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	≤1	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 26952-14-7 EC: 248-131-4 Registration number: 01-2119486450-38	hexadecene	≤1	Asp. Tox. 1, H304	
Index: 603-098-00-9 CAS: 122-99-6 EC: 204-589-7 Registration number: 01-2119488943-21	2-phenoxyethanol	≤0,5	Acute Tox. 4, H302 Eye Dam. 1, H318 STOT SE 3, H335 Specific concentration limit: ATE Oral = 1394 mg/kg bw	
Index: 014-018-00-1 CAS: 556-67-2 EC: 209-136-7	octamethylcyclotetrasiloxane	≤0,1	Repr. 2 (***), H361f Aquatic Chronic 1, H410 (M=10)	1, 2, 3
CAS: 541-02-6 EC: 208-764-9 Registration number: 01-2119511367-43	Decamethylcyclopentasiloxane (D5)	≤0,1		1, 2, 3
CAS: 540-97-6 EC: 208-762-8 Registration number: 01-2119517435-42	Dodecamethylcyclohexasiloxane D6	≤0,1		1, 2

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date	08th November 2023	Version	1.0
Revision date			

Notes

** reproductive toxicity: supplementary letters specify whether fetal harm (d) or fertility harm (f) may occur

- 1 Substance of very high concern - SVHC.
- 2 Persistent, bioaccumulative and toxic or very persistent and very bioaccumulative
- 3 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold.

If on skin

If irritation occurs, rinse the skin with a stream of water.

If in eyes

Rinse carefully with water for several minutes. Remove contact lenses, if present and easy to do.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date 08th November 2023
Revision date Version 1.0

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

2-phenoxyethanol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.7 mg/m ³ of air	Chronic effects systemic		
Workers	Inhalation	5.7 mg/m ³ of air	Chronic effects local		
Workers	Dermal	20.83 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	2.41 mg/m ³ of air	Chronic effects systemic		
Consumers	Inhalation	2.41 mg/m ³ of air	Chronic effects local		
Consumers	Dermal	10.42 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	9.23 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	9.23 mg/kg bw/day	Acute effects systemic		

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date

08th November 2023

Revision date

Version

1.0

Decamethylcyclopentasiloxane (D5)

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	97.3 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	17.3 mg/m ³	Chronic effects systemic		
Workers	Inhalation	24.2 mg/m ³	Chronic effects local		
Consumers	Inhalation	4.3 mg/m ³	Chronic effects local		
Consumers	Oral	5 mg/kg bw/day	Chronic effects systemic		

Dodecamethylcyclohexasiloxane D6

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	11 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	2.7 mg/m ³	Chronic effects systemic		
Workers	Inhalation	1.22 mg/m ³	Chronic effects local		
Consumers	Inhalation	0.3 mg/m ³	Chronic effects local		
Workers	Inhalation	6.1 mg/m ³	Acute effects local		
Consumers	Inhalation	1.5 mg/m ³	Chronic effects local		
Consumers	Oral	1.7 mg/kg bw/day	Acute effects systemic		
Consumers	Oral	1.7 mg/kg bw/day	Chronic effects systemic		

PNEC

Decamethylcyclopentasiloxane (D5)

Route of exposure	Value	Value determination	Source
Drinking water	1.2 µg/l		
Marine water	0.12 µg/l		
Microorganisms in sewage treatment	10 mg/l		
Freshwater sediment	11 mg/kg of dry substance of sediment		
Sea sediments	1.1 mg/kg of dry substance of sediment		

Dodecamethylcyclohexasiloxane D6

Route of exposure	Value	Value determination	Source
Microorganisms in sewage treatment	1 mg/l		
Freshwater sediment	13 mg/kg of dry substance of sediment		
Sea sediments	13 mg/kg of dry substance of sediment		

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date 08th November 2023
Revision date Version 1.0

hexadecene			
Route of exposure	Value	Value determination	Source
Drinking water	1 µg/l		
Marine water	1 µg/l		
Water (intermittent release)	1 µg/l		
Freshwater sediment	363 mg/kg of dry substance of sediment		
Sea sediments	363 mg/kg of dry substance of sediment		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	7-8 (20% solution at 100 °C)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.9 -1.1 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

not available

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date 08th November 2023
Revision date Version 1.0

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-phenoxyethanol						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC ₅₀	OECD 412	>1000 mg/m ³ of air	6 hours	Rat (Rattus norvegicus)	F/M
Dermal	LD ₅₀		>2214 mg/kg		Rabbit	F/M
Oral	LD ₅₀	OECD 401	1840 mg/kg		Rat (Rattus norvegicus)	F
Oral	ATE		1394 mg/kg bw			

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

2-phenoxyethanol				
Route of exposure	Result	Method	Exposure time	Species
Eye	Irritating	OECD 405	360 hours	Rabbit

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date	08th November 2023	Version	1.0
Revision date			

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data for the mixture.

12.3. Bioaccumulative potential

No data for the mixture.

12.4. Mobility in soil

No data for the mixture.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

No data for the mixture.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling. The waste code should be assigned at the place of its production.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Packaging waste type code

15 01 02 plastic packaging

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date 08th November 2023
Revision date Version 1.0

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (OJ L 167, 27.6.2012) REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

octamethylcyclotetrasiloxane, Decamethylcyclopentasiloxane (D5)

Restriction	Conditions of restriction
70	1. Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. 2. For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.

15.2. Chemical safety assessment

A safety assessment for the mixture is not required.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date	08th November 2023	Version	1.0
Revision date			

Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALABASTER

Creation date	08th November 2023	Version	1.0
Revision date			

Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.
